

Certificate Of Compliance

Awarded to

GIOVENZANA CONTROLS INDIA PRIVATE LIMITED

GAT NO. 169, SHALOM EMPIRE COMPOUND, GALA NO.1A, BUILDING NO.4,
GANESH NAGAR, TALAWADE ROAD, PUNE – 412114,
MAHARASHTRA, INDIA.

The Technical Documents Maintained by the organization has been reviewed
and found to comply with LVD 2014/35/EU, EMC 2014/30/EU, RoHS 2011/65/EU

VERIFICATION STANDARD

EN IEC 60947-5-1:2024, EN IEC 60947-1:2021, EN IEC 60529:1991 + A1:2000 + A2:2013,
EN 60204-1:2018

PRODUCT APPROVED


POSITION LIMIT SWITCHES

1)FFH001 2)FFH002 3)FFH003 4)FFH004 5)FFH005 6)FFH006 7)FFH2C.1

CERTIFICATE NO. CE91140420262696

Certification cycle start date:	03/07/2026	2nd Surveillance Assessment :	02/07/2028
Revised Certificate issue date:	03/07/2026	Certificate Expiry date:	02/07/2029
1st Surveillance Assessment:	02/07/2027	Certification Cycle period :	3 year

This certificate of compliance is based on the Technical File of the above-mentioned product. Technical Report and Documentation are at the Organization's Disposal. This certificate refers to the information examined and read with the manufacturer's declaration of conformity. Further. The product liability rests with the manufacturer or his representative in accordance with council directive 85/374/EEC. This certificate does not imply assessment of the series-production of the product and does not permit the use Dyer India Certifications Pvt. Ltd.. mark of conformity



Managing Director



CE 0124



DYMER INDIA CERTIFICATIONS PRIVATE LIMITED

Corp. Office.: B - 503/504, 5th Floor, Vraj Life Space, Opp. RTO office, Peth Road, Nashik - 422003, Maharashtra, India.
DYMER India Certifications Pvt. Ltd. Has Been Accredited by international Accreditation (EIAC Gov., MBAS uk)
(www.eiac.gov.ae, www.mbasuk.co) info@dymerindia.com +91 253 4016805

Certificate Of Compliance

Awarded to

GIOVENZANA CONTROLS INDIA PRIVATE LIMITED

GAT NO. 169, SHALOM EMPIRE COMPOUND, GALA NO.1A, BUILDING NO.4,
GANESH NAGAR, TALAWADE ROAD, PUNE – 412114,
MAHARASHTRA, INDIA.

The Technical Documents Maintained by the organization has been reviewed
and found to comply with LVD 2014/35/EU, EMC 2014/30/EU,
RoHS 2011/65/EU, MD 2006/42/EC

VERIFICATION STANDARD

EN IEC 60947-5-1:2024, EN ISO 13850:2015, EN 60529:1991 + A1:2000 + A2:2013
EN 60204-1:2018

PRODUCT APPROVED


PENDANT STATION

1)P02 2)P03 3)P02.RM 4)PLN 5)PLBN 6)HP03 7)HP05 8)HP07 9)HP08 10)PL05K

CERTIFICATE NO. CE91140420262697

Certification cycle start date:	03/07/2026	2nd Surveillance Assessment :	02/07/2028
Revised Certificate issue date:	03/07/2026	Certificate Expiry date:	02/07/2029
1st Surveillance Assessment:	02/07/2027	Certification Cycle period :	3 year

This certificate of compliance is based on the Technical File of the above-mentioned product. Technical Report and Documentation are at the Organization's Disposal. This certificate refers to the information examined and read with the manufacturer's declaration of conformity. Further. The product liability rests with the manufacturer or his representative in accordance with council directive 85/374/EEC. This certificate does not imply assessment of the series-production of the product and does not permit the use Dyer India Certifications Pvt. Ltd.. mark of conformity



Managing Director



CE 0124



DYMER INDIA CERTIFICATIONS PRIVATE LIMITED

Corp. Office.: B - 503/504, 5th Floor, Vraj Life Space, Opp. RTO office, Peth Road, Nashik - 422003, Maharashtra, India.
DYMER India Certifications Pvt. Ltd. Has Been Accredited by international Accreditation (EIAC Gov., MBAS uk)
(www.eiac.gov.ae, www.mbasuk.co) info@dymerindia.com +91 253 4016805

Certificaat

प्रमाणपत्र

certificado

Zertifikat

Certificate

Certificate Of Compliance

Awarded to

GIOVENZANA CONTROLS INDIA PRIVATE LIMITED

GAT NO. 169, SHALOM EMPIRE COMPOUND, GALA NO.1A, BUILDING NO.4,
GANESH NAGAR, TALAWADE ROAD, PUNE – 412114,
MAHARASHTRA, INDIA.

The Technical Documents Maintained by the organization has been reviewed
and found to comply with LVD 2014/35/EU, EMC 2014/30/EU,
RoHS 2011/65/EU, MD 2006/42/EC

VERIFICATION STANDARD

EN IEC 60947-5-1:2024, EN ISO 13850:2015, EN 60529:1991 + A1:2000 + A2:2013
EN 60204-1:2018

PRODUCT APPROVED


ROTARY GEAR LIMIT SWITCHES

1)FGR0 2)FGR1 3)FGR3

CERTIFICATE NO. CE91140420262698

Certification cycle start date:	03/07/2026	2nd Surveillance Assessment :	02/07/2028
Revised Certificate issue date:	03/07/2026	Certificate Expiry date:	02/07/2029
1st Surveillance Assessment:	02/07/2027	Certification Cycle period :	3 year

This certificate of compliance is based on the Technical File of the above-mentioned product. Technical Report and Documentation are at the Organization's Disposal. This certificate refers to the information examined and read with the manufacturer's declaration of conformity. Further. The product liability rests with the manufacturer or his representative in accordance with council directive 85/374/EEC. This certificate does not imply assessment of the series-production of the product and does not permit the use Dyer India Certifications Pvt. Ltd.. mark of conformity



Managing Director



CE 0124



DYMER INDIA CERTIFICATIONS PRIVATE LIMITED

Corp. Office.: B - 503/504, 5th Floor, Vraj Life Space, Opp. RTO office, Peth Road, Nashik - 422003, Maharashtra, India.
DYMER India Certifications Pvt. Ltd. Has Been Accredited by international Accreditation (EIAC Gov., MBAS uk)
(www.eiac.gov.ae, www.mbasuk.co) info@dymerindia.com +91 253 4016805

Certificate Of Compliance

Awarded to

GIOVENZANA CONTROLS INDIA PRIVATE LIMITED

GAT NO. 169, SHALOM EMPIRE COMPOUND, GALA NO.1A, BUILDING NO.4,
GANESH NAGAR, TALAWADE ROAD, PUNE – 412114,
MAHARASHTRA, INDIA.

The Technical Documents Maintained by the organization has been reviewed
and found to comply with LVD 2014/35/EU, EMC 2014/30/EU,
RoHS 2011/65/EU, MD 2006/42/EC

VERIFICATION STANDARD

EN IEC 60947-5-1:2024, EN ISO 13850:2015, EN 60529:1991 + A1:2000 + A2:2013
EN 60204-1:2018

PRODUCT APPROVED


FOOT SWITCHES

1)IP7007 2)IP7008 3)IP7009 4)IP7011 5)IP7006I 6)IP7018 7)IP7019

CERTIFICATE NO. CE91140420262699

Certification cycle start date:	03/07/2026	2nd Surveillance Assessment :	02/07/2028
Revised Certificate issue date:	03/07/2026	Certificate Expiry date:	02/07/2029
1st Surveillance Assessment:	02/07/2027	Certification Cycle period :	3 year

This certificate of compliance is based on the Technical File of the above-mentioned product. Technical Report and Documentation are at the Organization's Disposal. This certificate refers to the information examined and read with the manufacturer's declaration of conformity. Further. The product liability rests with the manufacturer or his representative in accordance with council directive 85/374/EEC. This certificate does not imply assessment of the series-production of the product and does not permit the use Dyer India Certifications Pvt. Ltd.. mark of conformity



Managing Director



CE 0124



DYMER INDIA CERTIFICATIONS PRIVATE LIMITED

Corp. Office.: B - 503/504, 5th Floor, Vraj Life Space, Opp. RTO office, Peth Road, Nashik - 422003, Maharashtra, India.
DYMER India Certifications Pvt. Ltd. Has Been Accredited by international Accreditation (EIAC Gov., MBAS uk)
(www.eiac.gov.ae, www.mbasuk.co) info@dymerindia.com +91 253 4016805

Certificate Of Compliance

Awarded to

GIOVENZANA CONTROLS INDIA PRIVATE LIMITED

GAT NO. 169, SHALOM EMPIRE COMPOUND, GALA NO.1A, BUILDING NO.4,
GANESH NAGAR, TALAWADE ROAD, PUNE – 412114,
MAHARASHTRA, INDIA.

The Technical Documents Maintained by the organization has been reviewed
and found to comply with LVD 2014/35/EU, EMC 2014/30/EU,
RoHS 2011/65/EU, MD 2006/42/EC

VERIFICATION STANDARD

EN IEC 60947-5-1:2024, EN ISO 13850:2015, EN 60529:1991 + A1:2000 + A2:2013
EN 60204-1:2018

PRODUCT APPROVED


POSITION LIMIT SWITCHES

1)FCR001 2)FCR002 3)FCR003 4)FCR004 5)FCR005 6)FCR006

CERTIFICATE NO. CE91140420262700

Certification cycle start date:	03/07/2026	2nd Surveillance Assessment :	02/07/2028
Revised Certificate issue date:	03/07/2026	Certificate Expiry date:	02/07/2029
1st Surveillance Assessment:	02/07/2027	Certification Cycle period :	3 year

This certificate of compliance is based on the Technical File of the above-mentioned product. Technical Report and Documentation are at the Organization's Disposal. This certificate refers to the information examined and read with the manufacturer's declaration of conformity. Further. The product liability rests with the manufacturer or his representative in accordance with council directive 85/374/EEC. This certificate does not imply assessment of the series-production of the product and does not permit the use Dyer India Certifications Pvt. Ltd.. mark of conformity



Managing Director



CE 0124



DYMER INDIA CERTIFICATIONS PRIVATE LIMITED

Corp. Office.: B - 503/504, 5th Floor, Vraj Life Space, Opp. RTO office, Peth Road, Nashik - 422003, Maharashtra, India.
DYMER India Certifications Pvt. Ltd. Has Been Accredited by international Accreditation (EIAC Gov., MBAS uk)
(www.eiac.gov.ae, www.mbasuk.co) info@dymerindia.com +91 253 4016805

Certificate Of Compliance

Awarded to

GIOVENZANA CONTROLS INDIA PRIVATE LIMITED

GAT NO. 169, SHALOM EMPIRE COMPOUND, GALA NO.1A, BUILDING NO.4,
GANESH NAGAR, TALAWADE ROAD, PUNE – 412114,
MAHARASHTRA, INDIA.

The Technical Documents Maintained by the organization has been reviewed
and found to comply with LVD 2014/35/EU, EMC 2014/30/EU,
RoHS 2011/65/EU, MD 2006/42/EC

VERIFICATION STANDARD

EN IEC 60947-5-1:2024, EN ISO 13850:2015, EN 60529:1991 + A1:2000 + A2:2013
EN 60204-1:2018

PRODUCT APPROVED


LIMIT SWITCHES & CABLE

1) GTN 2)GTR 2)GTF

CERTIFICATE NO. CE91140420262701

Certification cycle start date:	03/07/2026	2nd Surveillance Assessment :	02/07/2028
Revised Certificate issue date:	03/07/2026	Certificate Expiry date:	02/07/2029
1st Surveillance Assessment:	02/07/2027	Certification Cycle period :	3 year

This certificate of compliance is based on the Technical File of the above-mentioned product. Technical Report and Documentation are at the Organization's Disposal. This certificate refers to the information examined and read with the manufacturer's declaration of conformity. Further. The product liability rests with the manufacturer or his representative in accordance with council directive 85/374/EEC. This certificate does not imply assessment of the series-production of the product and does not permit the use Dyer India Certifications Pvt. Ltd.. mark of conformity



Managing Director



CE 0124



DYMER INDIA CERTIFICATIONS PRIVATE LIMITED

Corp. Office.: B - 503/504, 5th Floor, Vraj Life Space, Opp. RTO office, Peth Road, Nashik - 422003, Maharashtra, India.
DYMER India Certifications Pvt. Ltd. Has Been Accredited by international Accreditation (EIAC Gov., MBAS uk)
(www.eiac.gov.ae, www.mbasuk.co) info@dymerindia.com +91 253 4016805

Certificaat

प्रमाणपत्र

certificado

Zertifikat

Certificate